



CTO S.A.

Notified unit No. 2434

Centrum Techniki Okrętowej S.A.
Product Certification Centre
ul. Szczecińska 65, 80-392 Gdańsk
Phone: +48 58 307 45 28
e-mail: certyfikacja@cto.gda.pl

CENTRUM TECHNIKI OKRĘTOWEJ S.A.

PRODUCT CERTIFICATION CENTRE



AC 170

CERTIFICATE OF CONSTANCY OF PERFORMANCE

2434-CPR-0064

Pursuant to Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (CPR Regulation), this certificate applies to the construction product:

External fire doors and technical windows of the ALUPROF® MB-78EI system

with fire resistance class according to EN 13501-2:2016

EI₂₃₀, EW₃₀, E₃₀, EI₂₆₀, EW₆₀, E₆₀, EI₂₉₀, EW₉₀, E₉₀

put on the market under the manufacturer's name or trademark:

AMBERLINE Sp. z o.o.

ul. Krzysztofa Kolumba 20, 78-100 Kołobrzeg

and manufactured at the manufacturing plant:

AMBERLINE Sp. z o.o.

ul. Krzysztofa Kolumba 20, 78-100 Kołobrzeg

This certificate confirms that all provisions regarding the assessment and verification of constancy of performance set out in Annex ZA to standard:

EN 16034:2014

under system 1, in relation to the performance characteristics specified in this certificate, are applied and that the manufacturer has implemented a plant production control system to ensure that they remain constant. The product is also covered by the EN 14351-1:2006 + A2:2016 standard.

This certificate was issued for the first time on 18 December 2019 and remains valid until the harmonized standard, methods of assessment and verification of constancy of performance, the construction product itself and the conditions of its manufacture change significantly, and provided that it is not suspended or withdrawn by notified product certification body.

Magdalena Laskowska

Director of Product Certification Centre of CTO S.A.

Zbigniew Karpiński

CEO of CTO S.A.

Gdańsk, 18 December 2019

Page: 1/3